

**REQUEST  
FOR  
CONTINUED EXAMINATION (RCE)  
TRANSMITTAL**

**MAIL STOP RCE**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Subsection (b) of 35 U.S.C. § 132, effective on May 29, 2000,  
provides for continued examination of an utility or  
plant application filed on or after June 8, 1995

Application Number	10/595,193
Confirmation Number	4365
Filing Date	October 30, 2006
First Named Inventor	Ron KNOX
Group Art Unit	2863
Examiner Name	Jonathan Charles TEIXEIRA MOFFAT
Matter Number	Q93991
Title	METHOD AND APPARATUS FOR DETERMINING OPERATIONAL CONDITION OF POLLUTION MONITORING EQUIPMENT

This is a Request for Continued Examination (RCE) under 37 C.F.R. § 1.114 of the above-identified application.

**1. SUBMISSION REQUIRED UNDER 37 C.F.R. § 1.114**

- a. ☐ Previously submitted
- i. ☐ Please enter and consider the amendment(s)/reply under 37 C.F.R. § 1.116  
previously filed on \_\_\_\_\_
- ii. ☐ Consider the arguments in the Appeal Brief or Reply Brief previously filed on \_\_\_\_\_
- iii. ☐ Other \_\_\_\_\_
- b. ☒ Enclosed
- i. ☒ Amendment/Reply
- ii. ☐ Affidavit(s)/Declaration(s)
- iii. ☐ Information Disclosure Statements (IDS)
- iv. ☐ Petition for Extension of Time
- v. ☒ Other Request for Interview

**2. MISCELLANEOUS**

- a. ☐ Suspension of action on the above-identified application is requested under 37 C.F.R. § 1.103(c) for a  
period of \_\_\_\_\_ months
- b. ☐ Other \_\_\_\_\_

**3. FEES**

The USPTO is directed and authorized to charge the RCE statutory fee of \$810.00, the Petition fee of \$130.00  
and all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also  
credit any overpayments to said Deposit Account.

**CORRESPONDENCE ADDRESS**

*Direct all correspondence to the address for SUGHRUE MION, PLLC filed under the Customer Number listed below:*

WASHINGTON OFFICE  
**23373**  
CUSTOMER NUMBER

**SIGNATURE OF ATTORNEY**

Name Brian W. Hannon Registration No. 32,778

Signature /Brian W. Hannon/ Date May 14, 2010